ELSEVIER

Neuroscience Letters 318 (2002) 169–171

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 318

Agashe, G.S., see Kingery, W.S., 39
Antunes, E., see Costa, S.K.P., 158
Arendt-Nielsen, L., see Valeriani, M., 44
Authelet, M., see Boutajangout, A., 29

Barber, H., Domínguez, A., de Vega, M., Human brain potentials indicate morphological decomposition in visual word recognition, 149
Blanchard, V., see Boutajangout, A., 29
Blanz, B., see Georgiewa, P., 5
Blesa, R., see Lleó, A., 166
Blouin, J., see Bresciani, J.-P., 34
Bourdin, C., see Bresciani, J.-P., 34
Boutajangout, A., Leroy, K., Touchet, N., Authelet, M., Blanchard, V., Tremp, G., Pradier, L., Brion, J.P., Increased tau phosphorylation but absence of formation of neurofibrillary tangles in mice double transgenic for human tau and Alzheimer mutant (M146L) presenilin-1, 29
Brain, S.D., see Costa, S.K.P., 158
Brain, S.D., see Pintér, E., 13
Brandenberger, G., see Weibel, L., 89
Bresciani, J.-P., Blouin, J., Popov, K., Bourdin, C., Sarlegna, F., Vercher, J.-L., Gauthier, G.M., Galvanic vestibular stimulation in humans produces online arm movement deviations when reaching towards memorized visual targets, 34
Brion, J.P., see Boutajangout, A., 29
Bryant, D.L., see Free, R.B., 98

Castellví, M., see Lleó, A., 166
Chen, A.C.N., see Valeriani, M., 44
Cheng, J.-T., see Hsu, C.-T., 57
Cheung, R.T.F., see Pei, Z., 141
Cheyne, D., see Hirata, M., 73
Chou, H., see Wu, S., 81
Chu, D.Q., see Pintér, E., 13
Chung, S., Jung, W., Uhm, D.-Y., Ha, T.S., Park, C.-S., Glutathione potentiates cloned rat brain large conductance Ca^{2+}-activated K^+ channels (rSlo), 9
Clark, J.D., see Kingery, W.S., 39
Colebrooke, R.L., Smith, I.F., Kemp, P.J., Peers, C., Chronic hypoxia remodels voltage-gated Ca^{2+} entry in a human airway chemoreceptor cell line, 69
Costa, S.K.P., Moreno, R.A., Esquisatto, L.C.M., Juliano, L., Brain, S.D., De Nucci, G., Antunes, E., Role of kinins and sensory neurons in the rat pleural leukocyte migration induced by *Phoneutria nigriventer* spider venom, 158
Cuerda, M.A., see De La Cruz, J.P., 103
Czeisler, C.A., see Duffy, J.F., 117

Dacevic, M.P., see Isakovic, A.J., 65
Davies, M.F., see Kingery, W.S., 39
De La Cruz, J.P., Villalobos, M.A., Cuerda, M.A., Guerrero, A., González-Correa, J.A., Sánchez De La Cuesta, F., Effects of *S*-adenosyl-L-methionine on lipid peroxidation and glutathione levels in rat brain slices exposed to reoxygenation after oxygen-glucose deprivation, 103
De Nucci, G., see Costa, S.K.P., 158
de Vega, M., see Barber, H., 149
Delivoria-Papadopoulos, M., see Mishra, O.P., 93
Dheen, S.T., see Shoba, T., 129
Domínguez, A., see Barber, H., 149
Dong, Y.-L., see Li, J.-L., 133
Duffy, J.F., Czeisler, C.A., Age-related change in the relationship between circadian period, circadian phase, and diurnal preference in humans, 117
Dvorak, F., see Meyding-Lamadé, U., 21

Elder, G.A., see Wen, P.H., 53
Endo, K., see Suzuki, Y., 121
Esquisatto, L.C.M., see Costa, S.K.P., 158

Flores, A., see Manjarrez, E., 145
Fogg, C., see Pintér, E., 13
Free, R.B., Bryant, D.L., McKay, S.B., Kaser, D.J., McKay, D.B., [^{3}H]Epibatidine binding to bovine adrenal medulla: evidence for $\alpha3\beta4^*$ nicotinic receptors, 98
Freesmeyer, D., see Georgiewa, P., 5
Friedrich Jr, V.L., see Wen, P.H., 53
Fukuda, J., see Tsukada, S., 17
Fukumori, R., see Kubo, T., 25
Fukuuchi, Y., see Takao, M., 108

Gaser, C., see Georgiewa, P., 5
Gauthier, G.M., see Bresciani, J.-P., 34
Georgiewa, P., Rzanny, R., Gaser, C., Gerhard, U.-J., Vieweg, U., Freesmeyer, D., Mentzel, H.-J., Kaiser, W.A., Blanz, B., Phonological processing in dyslexic children: a study combining functional imaging and event related potentials, 5
Gerhard, U.-J., see Georgiewa, P., 5
González-Correa, J.A., see De La Cruz, J.P., 103
Guerrero, A., see De La Cruz, J.P., 103
Guo, T.-Z., see Kingery, W.S., 39

Ha, T.S., see Chung, S., 9
Haas, J., see Meyding-Lamadé, U., 21
Hacke, W., see Meyding-Lamadé, U., 21
Hagiwara, Y., see Kubo, T., 25
Hahm, D.-H., see Yun, S.-J., 85
Higuchi, S., Usui, A., Murasaki, M., Matsushita, S., Nishioka, N., Yoshino, A., Matsui, T., Muraoka, H., Ishizuka, Y., Kanba, S., Sakurai, T., Plasma orexin-A is lower in patients with narcolepsy, 61
Hirabuki, N., see Hirata, M., 73

PII: S0304-3940(02)00035-6

Hirata, M., Kato, A., Taniguchi, M., Ninomiya, H., Cheyne, D., Robinson, S.E., Maruno, M., Kumura, E., Ishii, R., Hirabuki, N., Nakamura, H., Yoshimine, T., Frequency-dependent spatial distribution of human somatosensory evoked neuromagnetic fields, 73
Ho, H.T.S., see Pei, Z., 141
Hommura, S., see Wakabayashi, T., 77
Hsu, C.-T., Liu, I.-M., Cheng, J.-T., Increase of β-endorphin biosynthesis in the adrenal gland of streptozotocin-induced diabetic rats, 57

Ide, C., see Suzuki, Y., 121
Ide, C., see Wu, S., 81
Inoue, K., see Takao, M., 108
Isakovic, A.J., Segal, M.B., Milojkovic, B.A., Dacevic, M.P., Misirlic, S.T., Rakic, M.L., Redzic, Z.B., The efflux of purine nucleobases and nucleosides from the rat brain, 65
Ishii, R., see Hirata, M., 73
Ishizuka, Y., see Higuchi, S., 61

Juliano, L., see Costa, S.K.P., 158
Jung, W., see Chung, S., 9

Kaiser, W.A., see Georgiewa, P., 5
Kanaya, T., see Kubo, T., 25
Kanba, S., see Higuchi, S., 61
Kaneko, T., see Li, J.-L., 133
Kaser, D.J., see Free, R.B., 98
Kataoka, K., see Suzuki, Y., 121
Kataoka, K., see Wu, S., 81
Kato, A., see Hirata, M., 73
Kaur, C., Singh, J., Peng, C.M., Ling, E.A., Upregulation of adrenocorticotrophic hormone in the corticotrophs and downregulation of surface receptors and antigens on the macrophages in the adenohypophysis following an exposure to high altitude, 125
Kehm, R., see Meyding-Lamadé, U., 21
Keino-Masu, K., see Tsukada, S., 17
Kemp, P.J., see Colebrooke, R.L., 69
Kikuchi, T., see Koshiba, M., 113
Kingery, W.S., Agashe, G.S., Guo, T.-Z., Davies, M.F., Clark, J.D., Maze, M., Capsaicin sensitive afferents mediate the development of heat hyperalgesia and hindpaw edema after sciatic section in rats, 39
Kitada, M., see Wu, S., 81
Kitaura, M., see Suzuki, Y., 121
Kitaura, M., see Wu, S., 81
Kobari, M., see Takao, M., 108
Kosaka, J., see Wakabayashi, T., 77
Koshiba, M., Kikuchi, T., Yohda, M., Nakamura, S., Inversion of the anatomical lateralization of chick thalamofugal visual pathway by light experience, 113
Kubo, T., Kanaya, T., Numakura, H., Okajima, H., Hagiwara, Y., Fukumori, R., The lateral septal area is involved in mediation of immobilization stress-induced blood pressure increase in rats, 25
Kumura, E., see Hirata, M., 73

Lamadé, W., see Meyding-Lamadé, U., 21
Le Pera, D., see Valeriani, M., 44
Lee, E.H., see Yun, S.-J., 85
Lee, H.-J., see Yun, S.-J., 85
Leroy, K., see Boutajangout, A., 29
Li, J.-L., Dong, Y.-L., Kaneko, T., Mizuno, N., Direct projections from substance P-containing neurons to nitric oxide synthase-containing interneurons in the rat striatum, 133
Ling, E.A., see Kaur, C., 125
Liu, I.-M., see Hsu, C.-T., 57
Lleó, A., Castellví, M., Blesa, R., Oliva, R., Uncommon polymorphism in the presenilin genes in human familial Alzheimer's disease: not to be mistaken with a pathogenic mutation, 166

Manjarrez, E., Rojas-Piloni, G., Vazquez, D., Flores, A., Cortical neuronal ensembles driven by dorsal horn spinal neurones with spontaneous activity in the cat, 145
Maruno, M., see Hirata, M., 73
Masu, M., see Tsukada, S., 17
Matsui, T., see Higuchi, S., 61
Matsushita, S., see Higuchi, S., 61
Maze, M., see Kingery, W.S., 39
McKay, D.B., see Free, R.B., 98
McKay, S.B., see Free, R.B., 98
Mello, C.F., see Rossato, J.I., 137
Mentzel, H.-J., see Georgiewa, P., 5
Meyding-Lamadé, U., Seyfer, S., Haas, J., Dvorak, F., Kehm, R., Lamadé, W., Hacke, W., Wildemann, B., Experimental herpes simplex virus encephalitis: inhibition of the expression of inducible nitric oxide synthase in mouse brain tissue, 21
Milojkovic, B.A., see Isakovic, A.J., 65
Mishra, O.P., Delivoria-Papadopoulos, M., Nitric oxide-mediated Ca^{++}-influx in neuronal nuclei and cortical synaptosomes of normoxic and hypoxic newborn piglets, 93
Misirlic, S.T., see Isakovic, A.J., 65
Miyazaki, H., Nagashima, K., Okuma, Y., Nomura, Y., Expression of Ret receptor tyrosine kinase after transient forebrain ischemia is modulated by glial cell line-derived neurotrophic factor in rat hippocampus, 1
Mizuno, N., see Li, J.-L., 133
Moreno, R.A., see Costa, S.K.P., 158
Muraoka, H., see Higuchi, S., 61
Murasaki, M., see Higuchi, S., 61

Näätänen, R., Rinne, T., Electric brain response to sound repetition in humans: an index of long-term-memory – trace formation?, 49
Nagashima, K., see Miyazaki, H., 1
Nakamura, H., see Hirata, M., 73
Nakamura, S., see Koshiba, M., 113
Niddam, D., see Valeriani, M., 44
Ninomiya, H., see Hirata, M., 73
Nishimura, Y., see Suzuki, Y., 121
Nishimura, Y., see Wu, S., 81
Nishioka, N., see Higuchi, S., 61
Nomura, Y., see Miyazaki, H., 1
Numakura, H., see Kubo, T., 25

Okajima, H., see Kubo, T., 25
Okuma, Y., see Miyazaki, H., 1
Oliva, R., see Lleó, A., 166
Otomo, M., see Takao, M., 108

Park, C.-S., see Chung, S., 9
Park, H.-J., see Yun, S.-J., 85
Peers, C., see Colebrooke, R.L., 69
Pei, Z., Ho, H.T.S., Cheung, R.T.F., Pre-treatment with melatonin reduces volume of cerebral infarction in a permanent middle cerebral artery occlusion stroke model in the rat, 141
Peng, C.M., see Kaur, C., 125
Pintér, E., Thán, M., Chu, D.Q., Fogg, C., Brain, S.D., Interaction between

interleukin 1β and endogenous neurokinin 1 receptor agonists in mediating plasma extravasation and neutrophil accumulation in the cutaneous microvasculature of the rat, 13
Popov, K., see Bresciani, J.-P., 34
Pradier, L., see Boutajangout, A., 29

Rakic, M.L., see Isakovic, A.J., 65
Redzic, Z.B., see Isakovic, A.J., 65
Rinne, T., see Näätänen, R., 49
Robakis, N.K., see Wen, P.H., 53
Robinson, S.E., see Hirata, M., 73
Rocha, J.B.T, see Rossato, J.I., 137
Rojas-Piloni, G., see Manjarrez, E., 145
Rossato, J.I., Zeni, G., Mello, C.F., Rubin, M.A., Rocha, J.B.T, Ebselen blocks the quinolinic acid-induced production of thiobarbituric acid reactive species but does not prevent the behavioral alterations produced by intra-striatal quinolinic acid administration in the rat, 137
Rubin, M.A., see Rossato, J.I., 137
Rzanny, R., see Georgiewa, P., 5

Sakurai, T., see Higuchi, S., 61
Sánchez De La Cuesta, F., see De La Cruz, J.P., 103
Sarlegna, F., see Bresciani, J.-P., 34
Segal, M.B., see Isakovic, A.J., 65
Seyfer, S., see Meyding-Lamadé, U., 21
Shioi, J., see Wen, P.H., 53
Shoba, T., Dheen, S.T., Tay, S.S.W., Retinoic acid influences the expression of the neuronal regulatory genes Mash-1 and c-ret in the developing rat heart, 129
Singh, J., see Kaur, C., 125
Smith, I.F., see Colebrooke, R.L., 69
Sucher, N.J., see Vazhappilly, R., 153
Suzuki, K., see Suzuki, Y., 121
Suzuki, Y., Kitaura, M., Wu, S., Kataoka, K., Suzuki, K., Endo, K., Nishimura, Y., Ide, C., Electrophysiological and horseradish peroxidase-tracing studies of nerve regeneration through alginate-filled gap in adult rat spinal cord, 121
Suzuki, Y., see Wu, S., 81

Takao, M., Kobari, M., Tanahashi, N., Tomita, M., Yokoyama, M., Tomita, Y., Otomo, M., Inoue, K., Fukuuchi, Y., Dilatation of cerebral parenchymal vessels mediated by angiotensin type 1 receptor in cats, 108
Tanahashi, N., see Takao, M., 108
Taniguchi, M., see Hirata, M., 73
Tay, S.S.W., see Shoba, T., 129
Thán, M., see Pintér, E., 13
Tomita, M., see Takao, M., 108
Tomita, Y., see Takao, M., 108
Touchet, N., see Boutajangout, A., 29
Tremp, G., see Boutajangout, A., 29
Tsukada, S., Keino-Masu, K., Masu, M., Fukuda, J., Activation of protein kinase A by nitric oxide in cultured dorsal root ganglion neurites of the rat, examined by a fluorescence probe, ARII, 17

Uhm, D.-Y., see Chung, S., 9
Usui, A., see Higuchi, S., 61

Valeriani, M., Le Pera, D., Niddam, D., Chen, A.C.N., Arendt-Nielsen, L., Dipolar modelling of the scalp evoked potentials to painful contact heat stimulation of the human skin, 44
van Hooft, J.A., Fast Green FCF (Food Green 3) inhibits synaptic activity in rat hippocampal interneurons, 163
Vazhappilly, R., Sucher, N.J., Turnover analysis of *N*-methyl-D-aspartate receptor subunit NR1 protein in PC12 cells, 153
Vazquez, D., see Manjarrez, E., 145
Vercher, J.-L., see Bresciani, J.-P., 34
Vieweg, U., see Georgiewa, P., 5
Villalobos, M.A., see De La Cruz, J.P., 103

Wakabayashi, T., Kosaka, J., Hommura, S., Up-regulation of Hrk, a regulator of cell death, in retinal ganglion cells of axotomized rat retina, 77
Weibel, L., Brandenberger, G., The start of the quiescent period of cortisol remains phase locked to the melatonin onset despite circadian phase alterations in humans working the night schedule, 89
Wen, P.H., Friedrich Jr, V.L., Shioi, J., Robakis, N.K., Elder, G.A., Presenilin-1 is expressed in neural progenitor cells in the hippocampus of adult mice, 53
Wildemann, B., see Meyding-Lamadé, U., 21
Wu, S., see Suzuki, Y., 121
Wu, S., Suzuki, Y., Kitada, M., Kataoka, K., Kitaura, M., Chou, H., Nishimura, Y., Ide, C., New method for transplantation of neurosphere cells into injured spinal cord through cerebrospinal fluid in rat, 81

Yeom, M.-J., see Yun, S.-J., 85
Yohda, M., see Koshiba, M., 113
Yokoyama, M., see Takao, M., 108
Yoshimine, T., see Hirata, M., 73
Yoshino, A., see Higuchi, S., 61
Yun, S.-J., Park, H.-J., Yeom, M.-J., Hahm, D.-H., Lee, H.-J., Lee, E.H., Effect of electroacupuncture on the stress-induced changes in brain-derived neurotrophic factor expression in rat hippocampus, 85

Zeni, G., see Rossato, J.I., 137